

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33869	(client or (target adj1 device) or server or (request\$3 adj1 device)) same (gps or zipcode or (physical adj1 address) or ((network or ip) adj1 address) or (ip adj1 address) or (hop adj1 count\$1) or (telephone adj1 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:05
S2	8134	(709/223-225).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 17:06
S3	2169	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:06
S4	1461	S3 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:08
S5	1416	(time or (time with (return or roundtrip)))) and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:09
S6	3627	(709/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 17:09
S7	929	S1 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:09
S8	615	S7 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:09
S9	590	(time or (time with (return or roundtrip)))) and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:19

S10	6	lu-gang.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:16
S11	6	otoole-james.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:16
S12	486	(router\$1 or switch\$2 or hub\$1 or bridge\$1 ir gateways) and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:31
S13	2	"6728767"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 17:30
S14	33904	(client or (target adj1 device) or server or (request\$3 adj1 device)) same (gps or zipcode or (physical adj1 address) or ((network or ip) adj1 address) or (ip adj1 address) or (hop adj1 count\$1) or (telephone adj1 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:55
S15	33904	S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:55
S16	38893	(request\$3 or obtain\$3) with (gps or zipcode or (physical adj1 address) or ((network or ip) adj1 address) or (ip adj1 address) or (hop adj1 count\$1) or (telephone adj1 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:56
S17	2638	plurality same (location\$1 with (compos\$3 or granularity or grain\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:59
S18	63	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:00

S19	44	S18 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:09
S20	2974	(342/357.06-357.15).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 12:10
S21	2155	(701/213-216).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 12:10
S22	8144	(709/223-225).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 12:11
S23	2	S20 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:12
S24	289	(342/357.13).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 12:12
S25	231	S24 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:12
S26	2638	plurality same (location\$1 with (compos\$3 or granularity or grain\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:36
S27	0	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:13
S28	6	otoole-james.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:13

S29	0	S25 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:13
S30	0	(plurality same (location\$1 with (compos\$3 or granularity or grain\$1))) and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:14
S31	42	(compos\$3 or granularity or grain\$1) and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:30
S32	38893	(request\$3 or obtain\$3) with (gps or zipcode or (physical adj1 address) or ((network or ip) adj1 address) or (ip adj1 address) or (hop adj1 count\$1) or (telephone adj1 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:22
S33	63	S26 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:23
S34	44	S33 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:23
S35	0	(client same sever) and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:31
S36	3	(client same sever) and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:35
S37	1	(client same sever) and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:38
S38	9	S22 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:38

S39	156	(340/426.19-426.22).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 12:38
S40	0	(client same sever) and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:38
S41	123	S39 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:39
S42	20	(US-20020003495-\$ or US-20020047895-\$ or US-20020062360-\$ or US-20020077116-\$ or US-20020087260-\$ or US-20020123354-\$ or US-20020155843-\$ or US-20020165933-\$ or US-20020184301-\$ or US-20020194317-\$ or US-20020198977-\$ or US-20030005115-\$ or US-20030033421-\$ or US-20030041093-\$ or US-20030041094-\$).did. or (US-5771280-\$ or US-6233668-\$ or US-6249252-\$ or US-6560530-\$ or US-6661372-\$).did.	US-PGPUB; USPAT	OR	ON	2005/05/03 12:49
S43	195857	ups same (track\$3 with vehicles or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:59
S44	117302	ups with (track\$3 with vehicles or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:59
S45	2839	ups with (track\$3 with (vehicles or cell))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:59
S46	2495	ups with (track\$3 with (vehicles))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:00

S47	1700	ups with (track\$3 near5 (vehicles))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:00
S48	84715	S47 (calculat\$3 with distanc\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:00
S49	114	S47 and (calculat\$3 with distanc\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:01
S50	82	S49 and (calculat\$3 with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:01
S51	45	S50 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:01
S52	19	S51 and ((modif\$4 or adjust\$3) with (message\$1 or header or id or parameter or location or map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:39
S53	35953	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 13:16
S54	35788	("342").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 13:16
S55	29	S53 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:16
S56	18	S55 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:39

S57	2	S56 and ((modif\$4 or adjust\$3) with (message\$1 or header or id or parameter time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:41
S58	9272	gps and ((modif\$4 or adjust\$3) with (message\$1 or header or id or parameter or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:42
S59	5908	S58 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:43
S60	4912	gps and ((modif\$4) with (message\$1 or header or id or parameter or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:43
S61	3056	S60 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:43
S62	2960	gps and ((modif\$4) near5 (message\$1 or header or id or parameter or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:43
S63	1799	S62 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:44
S64	36	((multiple or plurality) near3 (router\$1 or gateway\$1 or bridge\$1)) and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:59
S65	113	((multiple or plurality) near3 (node\$1 or router\$1 or gateway\$1 or bridge\$1)) and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:46
S66	121570	(modif\$4 or adjust\$3) with (meassage\$1 or header\$1 or id or identification\$1 or parameter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 18:13

S67	3786	gps and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 18:13
S68	2194	S67 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 18:14
S69	36091	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:14
S70	59	S68 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 18:18
S71	4	S70 and (calculat\$3 with distance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 18:18
S72	5	"6748318"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:53
S73	63348	time near5 return	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:53
S74	3	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:54
S75	0	S72 and (time adj1 to adj1 return)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:32
S76	81	(modify\$3 with (time or (packet adj1 header))) same GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:45

S77	58	S76 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:02
S78	302	(adjust\$3 or modify\$3) with (packet adj1 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:41
S79	6	S78 and gps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:41
S80	749	((modify\$3 or adjust\$3) with (time or (packet adj1 header))) same GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:48
S81	749	S80 and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:46
S82	537	S81 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:48
S83	426	((modify\$3 or adjust\$3) near5 (time or (packet adj1 header))) same GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:48
S84	282	S83 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:49
S85	19	S84 and (location with calculation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:51
S86	15	S85 and (plurality or plural or (more with than with one))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:51

S87	2	"6728767"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:04
S88	1316	gps and redirect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:04
S89	12	gps with redirect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:04
S90	6	(node\$1 or router\$1 or gateway\$1 or switch\$2 or hub\$1 or brige\$1) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:05
S91	248	location near request near message\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:43
S92	8	(granualarity or refine) and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:50
S93	127	S91 and parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:50
S94	77	S93 and @ad < "20020226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:51